

Residential Asphalt Paving Specifications

The minimum requirements for a good asphalt driveway are as follows

Light Duty

- 1) 12" or 300 mm of granular base material compacted to 97% proctor
- 2) 2" or 50 mm of HL3 A Driveway mix asphalt.
- 3) Laid in 1 coat

Medium Duty

- 1) 12" or 300 mm of granular base material compacted to 97% proctor
- 2) 3" or 75mm of HL3 A Driveway mix asphalt.
- 3) Laid in 1 coat

Heavy Duty

- 1) 12" or 300 mm of granular base material compacted to 97% proctor
- 2) 4" or 100mm of HL3 A Driveway mix asphalt.
- 3) Laid in 2 coat

Please note that the specifications can vary dramatically depending on your requirements, loads that will be applied to the pavement etc. Understand your requirements, and design the pavement to suite them.